



At the heart of the *Image*™

# PC-E NIKKOR 24mm f/3.5D ED PERSPECTIVE CONTROL LENS

PC-E NIKKOR 24mm f/3.5D ED  
PERSPECTIVE CONTROL LENS

FEATURES

- Ultra-wide, Perspective Control (PC) lens featuring tilt, shift and rotation capability, perfect for architectural and nature photography
- Wide shifting range, plus or minus 11.5mm, with a tilting range of plus or minus 8.5-degrees.
- Revolving capability of plus or minus 90-degrees, in 30-degree increments, for versatile tilt/shift control
- 3 ED-(Extra-low Dispersion) glass elements for superior sharpness and color correction by effectively minimizing chromatic aberration
- 3 aspherical lens elements virtually eliminate coma and other types of lens aberration, even at the widest aperture
- Nikon's Nano Crystal Coat virtually eliminates internal reflections across a wide range of wavelengths, for even greater image clarity
- High-performance Nikon Super Integrated Coating (SIC) offers superior color performance and substantially reduced ghosting and flare
- Automatic aperture control with electromagnetic diaphragm (Nikon D3, D700 and D300 only)
- Rounded 9-blade diaphragm for more natural appearance of out-of-focus image elements



Product Detail



At the heart of the *image*™

# PC-E NIKKOR 24mm f/3.5D ED PERSPECTIVE CONTROL LENS

## SPECIFICATIONS | PC-E NIKKOR 24mm f/3.5D ED

<b>Focal length</b>	24mm
<b>Maximum Aperture</b>	f/3.5
<b>Minimum Aperture</b>	f/32
<b>Lens Construction</b>	13 elements in 10 groups (with 3 ED glass elements, 3 aspherical lenses, one with Nano Crystal Coat)
<b>Picture Angle</b>	84° (61° with DX-format cameras)
<b>Minimum Shooting Distance</b>	0.7 ft (0.21m)
<b>Maximum Reproduction Ratio</b>	1:3.7
<b>Diaphragm Blades</b>	9 (rounded)
<b>Filter size</b>	77mm
<b>Focusing</b>	Manual focus
<b>Dimensions (Diameter x Length)</b>	Approx. 3.2 x 4.3 in. (82.5 x 108mm)
<b>Weight</b>	Approx. 25.7 oz. (730g)
<b>Supplied accessories</b>	HB-41 Lens Hood, CL-1120 Flexible Lens Pouch, LC-77 77mm Snap-on Front Lens Cap, LF-1 Rear Lens Cap
<b>Product Number</b>	2168

nikonusa.com 800 NIKON UX SLR-2168-01-07/08

Note: Technical specifications and equipment are subject to change without any notice or obligation on the part of the manufacturer.

Products and brand names are trademarks or registered trademarks of their respective companies. ©July 2008 Nikon Inc.

Nikon Inc. 1300 Walt Whitman Road Melville NY 11747

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>