



PLF100

Powerline Filter for PLC communication

- AC 90-120V 50-60Hz 15A
- One AC plug, one AC outlet
- 30dB attenuation at 2-30MHz band

Description

The PLF100 provides excellent homeplug/in-home noise filtering to user for maintaining a good powerline-network environment. This filter enables you to isolate the power outlet's noise and your PowerLine Communication (PLC) device.

Features

- One AC plug
- One AC outlet
- Built in PLC notched filter

1 OF 2



Head Office: 300 IP, No. 21 R&D Road II, Science Park, Hsin-Chu, Taiwan, R.O.C.
Factory Office: 350 No. 77, Yu-Yih Rd., Chu-Nan Chen, Miao-Lih Hsuan, Taiwan, R.O.C.
Taipei Office: 4F, No.130-2, Lane 235, Bao-chiao Rd, Sindian City, Taipei County 23145, Taiwan, R.O.C.

Tel: + 886-3-578-9090
Tel: + 886-37-580-777
Tel: + 886-2-8665-0457

FAX: + 886-3578-9520
FAX: + 886-37-580-799
FAX: + 886-2-8665-0877


AboCom Confidential

Download from www.Somanuals.com. All Manuals Search And Download.

Specification

Interface	One AC plug. One AC outlet.
Max. output capacity	AC 90-120V; 15A, 50-60Hz.
Dimension (L x W x H)	65mm x 48mm x 35mm.
Filter capacity	-30 to -45dB attenuation among 2-30MHz band.
Flammability Class	V1 class.
Operating Temperature	0~40°C (32~104°F). Relative Humidity: 10%~90% non-condensing.
Storage	Temperature: -20~60°C (-4~140°F). Relevant Humidity: 5%~95% non-condensing.
Housing color	White.
Certification	PSE.



Typical insertion loss chart



N	SWP PARAM	VAL
0	30 MHz	-45.836 dB
1	1 MHz	-27.371 dB
2	2 MHz	-34.541 dB
3	4 MHz	-42.153 dB
4	10 MHz	-48.537 dB
5	15 MHz	-49.101 dB
6	21 MHz	-48.42 dB
7	28.5 MHz	-46.356 dB

General usage

PLC Noise Filter power outlet for plugging in noise appliances.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>