

intelliFAX[®]-2480_c

Color Flatbed InkJet Fax & Copier



Handles all your Black and White or Color Fax and Copy Needs

- Versatile Flatbed Design for faxing or copying bound documents
- 14.4K bps Fax Modem
- 16 MB memory stores up to 300 fax pages¹ for Out-of-Paper Reception
- Fast Color or Black and White copying
 - Up to 18cpm Black / 16cpm Color
- Built-in USB Interface² for future Color Printing capability³
 - Up to 25ppm Black / 20ppm Color
 - Up to 6000 x 1200 dpi resolution⁴



Convenient Faxing & Copying from auto document feed or document glass

At your side.

brother[®]

intelliFAX[®]-2480_c

Color Flatbed InkJet Fax & Copier



Technical Specifications

IntelliFAX-2480c		
Fax	Modem Speed / Best Transmit Speed ¹	14.4K bps / 6 sec.
	Color or B&W Faxing	Color and B&W
	Auto Document Feed Capacity	up to 10 pages, plus Flatbed
	Paper Capacity	up to 100 sheets
	Memory Capacity (max. pgs.) ¹	16MB (300)
	Broadcasting (# of locations) ⁵	up to 140
	Group Dial / Batch Transmission ⁵	Yes (up to 6) / Yes
	Quick Scan ¹	4.7 sec. / page
	Remote Fax Retrieval ⁵	Yes
	Fax Forwarding ⁵ & Paging	Yes
	Dual Access ⁵	Yes
	Fax Compatibility	ITU-T 30E
	Compression Method	MH/MR/MMR/JPEG
	Recording Paper Size	8.5" x 11" / 8.5" x 14"
Grayscale	64 B&W / 256 Color	
Delayed Transmission ⁵ / Polling ⁵	Yes / Yes	
Telephone	Telephone Handset	Yes
	Speakerphone	Monitor Only
	Caller ID / Distinctive Ring Ready ⁶	Yes / Yes
	One Touch / Speed Dial Locations	10 / 80
	Color or B&W Copying	B&W and Color
Copy	Copy Speed	up to 18cpm black / 16cpm color
	Copy Resolution (max. dpi)	1200 x 600 dpi ⁴
	Multi-Copying / Sort	up to 99 / Yes ⁵
	Reduction / Enlargement	25% – 400% (in 1% increments)
	Special Layout	2-in-1 or 4-in-1 ⁵ (letter), Poster
	PC Interface ²	USB
Other	PC Fax Send ⁵	Yes ³
	Unit Dimensions (W"xD"xH")	18.4" x 14.6" x 7.1"
	Carton Dimensions (W"xD"xH")	21.9" x 10.0" x 17.8"
	Unit / Carton Weight (lbs.)	18.1 / 24.2
UPC Code	0 12502 61583 5	

Key Features at a Glance

- Handles all your Black and White or Color Fax and Copy needs
- Versatile Flatbed Design for copying or faxing bound documents
- 16MB memory stores up to 300 Fax Pages¹ for Out-of-Paper Reception
- 14.4K bps Fax Modem
- 100-Sheet Paper Capacity
- 10-Page Auto Document Feed Capacity
- Fast Color or Black and White Copying
 - Up to 18cpm Black / 16cpm Color
- Built-In USB Interface² for future Color Printing capability³
 - Up to 25ppm Black / 20ppm Color
 - Up to 6000 x 1200 dpi Resolution⁴

innobella™ LC51 Series Ink & BP61 Photo Paper

Longer Lasting Prints • Richer Colors • Sharper Images

Brother's new print engine and Brother Innobella™ inks and papers are a completely integrated and fully optimized system.

Optimal Supplies and Accessories[†]

LC51BK	Black Ink Cartridge (500 pages*)
LC51Y	Yellow Ink Cartridge (400 pages*)
LC51M	Magenta Ink Cartridge (400 pages*)
LC51C	Cyan Ink Cartridge (400 pages*)
BP61 GLP	Brother Glossy 4x6 Photo Paper
BP61 GLL	Brother Glossy Photo Paper (Letter Size)
BP60 ML	Brother Matte Inkjet Paper (Letter Size)
BP60 PL	Brother Inkjet Plain Paper (Letter Size)



[†] Requires additional purchase.

* Approximate yield based on 5% page coverage (letter size).

For more information please visit our Web site at www.brother.com

At your side.
brother[®]

www.brother.com

¹ Based on Brother #1 Chart with MMR coding and standard resolution.

² Compatible with USB 2.0 specification. Cable not included.

³ Free printer and PC Fax drivers available for download on Brother Web site.

⁴ Resolutions are listed vertical by horizontal dpi.

⁵ Black only.

⁶ Check with local phone company for service availability.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>